

NOTICE OF MEETING
DENTON COUNTY FRESH WATER SUPPLY DISTRICT NO. 8-A

The Board of Directors ("Board") of Denton County Fresh Water Supply District No. 8-A will hold a public meeting on **Tuesday, September 10, 2024, at 6:15 p.m. at 1230 Brendan Drive, Little Elm, Texas**, to discuss and, if appropriate, act upon the following items:

1. Call to order; Confirm quorum.
2. Public comments - In accordance with the Open Meetings Act, Directors are prohibited from acting on or discussing any items brought before them at this time. Citizen's comments will be limited to 3 minutes. Comments about any of the agenda items are appreciated by the Board and may be taken into consideration at this time or during that agenda item. Please complete a Public Input Form if you desire to address the Board. All remarks and questions addressed to the Board shall be addressed to the Board as a whole and not to any individual member thereof.
3. Consider review and approval of final plat for the Lakepointe addition, and authorize signature of the same.
4. Consider matters for placement on future agendas.
5. Adjourn.



A handwritten signature in black ink, appearing to read "J. Finke", written over a horizontal line.

Jonathan Finke
Attorney for the District

Denton County Fresh Water Supply District No. 8-A reserves the right to adjourn into executive session at any time during the course of this meeting to discuss any of the matters listed above, as authorized by Texas Government Code, Section 551.071 (Consultation with Attorney), Section, 551.072 (Deliberations Regarding Real Property), Section 551.073 (Deliberations Regarding Gifts and Donations), Section 551.074 (Personnel Matters), Section 551.076 (Deliberations Regarding Security Matters), and Section 551.087 (Economic Development).

Persons with disabilities who plan to attend this meeting and would like to request auxiliary aids or services are requested to contact the District's attorney at (972) 823-0808 at least three business days prior to the meeting so that appropriate arrangements can be made.